

474 amended by Ord 2642
ORDINANCE NO. 1682

A BILL FOR:

AN ORDINANCE providing for the time and manner of constructing lateral sewers in the City of Albany, Oregon, To-wit:

HACKLEMAN STREET LATERALS:

No. 1. Beginning at the manhole in the Hackleman Street Main sewer and running thence northerly through the center of Blocks 6 and 7 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 470 feet.

No. 2. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Blocks 5 and 8 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 680 ft.

No. 3. Beginning at the manhole in the Hackleman Street Main sewer, and running thence northerly through Blocks 4 and 9 in Winona Park Addition to the City of Albany, Linn County, Oregon, a distance of 548 feet.

No. 4. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Block 3 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 366 ft.

No. 5. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Block 2 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 324 ft.

No. 6. Beginning at the manhole in the Hackleman Street Main sewer, and running thence northerly through the center of Block 1 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 160 ft.

No. 7. Beginning at the manhole in the Hackleman Street Main Sewer and running thence southerly through the center of Blocks 5 and 4, and 3 in Hack's. Sunrise Add. to the City of Albany, Linn County, Oregon, a distance of 1203 Ft.

No. 8. Beginning at the manhole in the Hackleman Street Main Sewer and running thence southerly along the east line of Blocks 6, 7, 8, and 9, in Hack's. Sunrise Add. to the City of Albany, Linn County, Oregon a distance of 1180 ft., together with sub-laterals connected therewith and running easterly as follows:

- (a) Through Block 1 of the Epauline Add. a distance of 130 ft.
- (b) Through Blocks 6, 5, & 4, of the Epauline Add. a distance of 607 ft.
- (c) Through Blocks 7, 8, & 9, of the Epauline Add. a distance of 607 ft.
- (d) Through Blocks 12, 11, & 10, of the Epauline Add. a distance of 607 ft.
- (e) Through Blocks 13, 14, & 15, of the Epauline Add. a distance of 607 ft.

Making a total distance of 4104 lineal Feet.

Also beginning at the manhole on the Hackleman Street Main Sewer Midway between Tremont and Hood Streets and running thence southerly through Block 2 in the Epauline Add. to the City of Albany, Linn County, Oregon, a distance of 180 ft.

Also beginning at the manhole on the Hackleman Street Main Sewer a distance of 53.75 ft. west of the west line of Lafayette Street and running southerly through Block 2 in the Epauline Add. to the City of Albany, Linn County, Oregon, a distance of 180 ft.

No. 9. Beginning at the manhole in the Hill Street Main Sewer and running thence easterly through the center of Block 1 in Price's Add. to the City of Albany, Linn County, Oregon, a distance of 381 ft.

No. 10. Beginning at the manhole in the Hill Street Main Sewer 88.2 feet south of the south line of 10th Street in Price's Add. to the City of Albany, Linn County, Oregon and running thence easterly a distance of 757 feet, together with sub-laterals connected therewith and running southerly in Hackleman's Grove Add. to the City of Albany, Linn County, Oregon, as follows:

- (a) Through the center of Block 1 of said Add. a distance of 264 ft.
- (b) Through the center of Blocks 2 and 3 of said Add. a distance of 250 ft.
- (c) From the east end of the lateral sewer above described thence southerly a distance of 188 ft.

No. 11. Beginning at the manhole in the Hackleman Street Main Sewer and running thence northerly along the center line of a 30 foot street through Block 1, in Oak Grove Acres, to the City of Albany, Linn County, Oregon, a distance of 214 ft.

Also, beginning at the manhole in the Hackleman Street Main Sewer and running thence northerly along the west line of lots 3, 2, and 1, in Oak Grove Acres, to the City of Albany, Linn County, Oregon, a distance of 214 feet.

No. 12. Beginning at the manhole at the south end of Main Sewer on Sherman St. in Oak Grove Acres and running thence west along the south line of Lots 1, 2, and 3, in Block 2 in said Oak Grove Acres, to the City of Albany, Linn County, Oregon, a distance of 206 feet.

ORDINANCE NO. 1682 Continued

Also, beginning at the northwest corner of lot 34 in said Block 2, thence southerly through the center of said Block 2 a distance of 1050 ft. to the North line of lot 19 in said Block and running thence easterly 48 ft. & also westerly 50 ft

No. 13. Beginning at the manhole at the south end of Main Sewer on Sherman Street in Oak Grove Acres and running thence southerly along Sherman Street a distance of 450 ft., thence easterly along the south line of lot 17 in Block 3 in said Oak Grove Acres, to the City of Albany, Linn County, Oregon a distance of 90 feet, thence southerly through said Block 3 a distance of 725 ft., also beginning at the northeast corner of lot 4 in said Block and running westerly along the south line of lot 2 in said Block a distance of 90 feet.

COLUMBUS STREET LATERALS:

No. 1. Beginning at the manhole on Columbus Street main Sewer between Willamette and Front Streets and running thence westerly through the center of Block 16 in Burkhart Park Add., to the City of Albany, Linn County, Oregon, a distance of 382 Feet.

Also, beginning at the same point and running easterly through the center of Blocks 21 and 25 in Burkhart Park Add. to the City of Albany, Linn County, Oregon, a distance of 1214 feet.

No. 2. Beginning at the manhole on Columbus Street Main Sewer between Front and Water Streets and running westerly through the center of Block 15 Burkhart Park Add. to the City of Albany, Linn County, Oregon, a distance of 382 feet.

Also, beginning at the same point and running easterly through the center of Blocks 22 and 24 in Bryant's Park Add. to the City of Albany, Linn County, Oregon, a distance of 949 feet.

No. 3. Beginning at the manhole on Columbus Street Main Sewer between Water and First Street and running westerly through the center of Block 14, Burkhart Park Add. to the City of Albany, Linn County, Oregon, a distance of 382 feet.

Also, beginning at the same point and running easterly through the center of Block 23, Burkhart Park Add. to the City of Albany, Linn County, Oregon, a distance of 219 feet.

OLD PACIFIC HIGHWAY LATERALS:

No. 1. Beginning at the manhole in the Old Pacific Hwy. Sewer near the northwest corner of Block 1 in Motleys Add. to the City of Albany, Linn County, Oregon and running thence southerly along the west line of said Block and the east line of Block 4 in Burkharts A d. to the City of Albany, Linn County, Oregon, a distance of 1096 feet.

Also, beginning at the southeast corner of Lot 16, Block 4, of said Add. and running thence easterly a distance of 200 ft.

No. 2. Beginning at the manhole in the Old Pacific Hwy. Main Sewer near the northwest corner of Lot 7, in Block 1, R. L. Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly through said Block 1 in said Add. to the south line thereof a distance of 450 ft.

Also, beginning at the southwest corner of Lot 7 in said Block 1 and running Westerly a distance of 120 feet.

No. 3. Beginning at the manhole in the Old Pacific Hwy. Main Sewer near the northeast corner of Lot 3, Block 1, in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly a distance of 165 feet.

NEW PACIFIC HIGHWAY LATERALS:

No. 1. Beginning at the manhole in the New Pacific Hwy. Main Sewer near the northeast corner of Lot 1, Block 6 in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly along the east line of said Block a distance of 637 feet. Thence easterly a distance of 169 feet.

Also, beginning at the southwest corner of Lot 2, Block 6 in supplemental Plat of Burkharts Add. and running thence easterly a distance of 155 feet., thence Southerly a distance of 400 feet.

No. 2. Beginning at the manhole in the New Pacific Hwy. Main Sewer near the northwest corner of Lot 5, Block 8, in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly to and through the center of Blocks 7 and 8 of the Supplemental Plat of Burkharts Add. to the City of Albany, Linn County, Oregon, a distance of 900 feet, thence westerly a distance of 60 feet, also easterly a distance of 60 feet.

No. 3. Beginning at the manhole in the New Pacific Hwy. Main Sewer near the Northwest corner of Lot 1, Block 8, in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly to the Northwest corner of Lot 6, Block 11, of the Supplemental Plat to Burkharts Add. a distance of 200 feet.

170

ORDINANCE NO. 1682 *Cont*

GEARY STREET LATERALS:

No. 1. Beginning at the manhole in the Geary Street Main Sewer between Willamette and Front Streets and running thence Easterly through the center of Blocks 6 and 5 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon and Block 4 and 9 in Burkharts Park Add. to the City of Albany, Linn County, Oregon a distance of 907 feet.

No. 2. Beginning at the manhole in the Geary Street Main Sewer between Front and Water Streets and running thence easterly through the center of Blocks 7 and 8 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon, and Blocks 3 and 10 in Burkhart Park Add. a distance of 917 feet.

No. 3. Beginning at the manhole in the Geary Street Main Sewer between Water and First Streets and running thence through the center of Blocks 10 and 9 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon, and Blocks 2 and 11, in Burkharts Park Add. to the City of Albany, Linn County, Oregon a distance of 928 Feet.

No. 4. Beginning at the manhole in the Geary St. Main Sewer between First and Second Streets and running thence through the center of Blocks 11 and 12 in Woodles Riverside Add to the City of Albany, Linn County, Oregon, and Blocks 1, 12, and 3 in Burkhart Park Add. to the City of Albany, Linn County, Oregon a distance of 1034 Feet.

No. 5. Beginning at the manhole in the Geary Street Main Sewer between Second Street and the Salem Road and running thence through the center of Blocks 14 and 13 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon a distance of 374 feet.

FIFTH STREET LATERALS:

No. 1. Beginning at the manhole in the Fifth Street Main Sewer between Geary and State Streets, and running thence northerly through the center of Blocks 9 and 10 in Bryants Add. to the City of Albany, Linn County, Oregon, a distance of 400 feet.

Also, beginning at the same point and running thence southerly through Blocks 8 and 7 in said Add. a distance of 484 feet.

No. 2. Beginning at the manhole at the east end of the Fifth Street Main Sewer and running thence southerly through the center of Blocks 2 and 3 in Bryants Park Add. to the City of Albany, Linn County, Oregon, a distance of 485 feet.

Also, beginning at a point in said lateral in the center of Block 2 in said Add. and running thence easterly a distance of 60 feet.

Also, beginning at a point in said Lateral in the center of Block 3 in said Add. and running thence easterly a distance of 60 feet.

Also, beginning at the manhole at the east end of the Fifth Street Main Sewer and running thence northerly along the east line of Lots 9 ~~and~~ to 1 inclusive, Block 1 in Bryants Add. to the City of Albany, Linn County, Oregon a distance of 546 feet.

Also, beginning at the northeast corner of Lot 8 in said Block and running easterly through the center of Block 5 in R. L. Burkharts Add. to the City of Albany, Linn County, Oregon, a distance of 380 feet.

EIGHTH STREET LATERALS:

No. 1. Beginning at the manhole in the Eighth Street Main Sewer near the center line of Lot 6 in St. James Park Add. to the City of Albany, Linn County, Oregon, and running thence southerly through Lots 6, 7, 8, and 9 in said Bl. a distance of 460 feet.

No. 2. Beginning at the manhole in the Eighth Street Main Sewer near the center line of Lot 4 in St. James Park Add. to the City of Albany, Linn County, Oregon, and running thence southerly through lots 4, 3, 2, and 1 in said Addition, a distance of 460 feet.

MONTGOMERY STREET LATERALS:

No. 1. Beginning in the Montgomery St. Main Sewer on the north line of Block 1, in Bacon Add, to the City of Albany, Linn County, Oregon and running thence westerly along the north line of said Block a distance of 340 feet. and running thence southerly a distance of 60 feet.

Also, beginning at the same point and running thence easterly a distance of 510 feet, and thence southerly a distance of 60 feet.

ORDINANCE NO. 1682 Continued

No. 2. Beginning at the manhole in the Montgomery St. main Sewer on the center line of Block 2 in Bacon Add. to the City of Albany, Linn County, Oregon and running thence westerly a distance of 190 feet, thence northerly a distance of 60 feet.

Also, a sub-lateral beginning at the northwest corner of Lot 32 in said Block and running thence southerly a distance of 60 feet.

Also, beginning at the manhole in the Montgomery St. Main Sewer as above and running thence easterly along the center line of said Block a distance of 590 feet to a manhole in Marion St., thence southerly through Blocks 1 and 2 in Hackleman's Sunrise Add. to the City of Albany, Linn County, Oregon a distance of 760 feet to a manhole on A. Street.

Also a sub-lateral beginning at the northeast corner of Lot 5 in Block 2 in Hackleman's Sunrise Add. to the City of Albany, Linn County, Oregon and running westerly a distance of 85 feet.

Also beginning at the southeast corner of Lot 17 Block 2 in said Bacon Add. and running northerly a distance of 60 feet.

Also beginning at southwest corner of Lot 17, Block 2, in said Add. and running southerly a distance of 60 feet.

No. 3. Beginning at the manhole in the Montgomery Street Main Sewer on the South line of Bacon Add. to the City of Albany, Linn County, Oregon, running thence Easterly along the south line of said Add. a distance of 362 feet. thence northerly a distance of 25 feet.

Also, beginning at said Manhole and running thence southwesterly a distance of 210 feet, thence northwesterly a distance of 900 feet, and southeasterly a distance of 250 feet.

Also, a sub-lateral beginning near the southwest corner of Lot 7, Block 3 in Bacon Add. to the City of Albany, Linn County, Oregon, and running thence southerly a distance of 330 feet.

LATERAL IN BLOCK 40 CITY OF ALBANY:

No. 1. Beginning at the manhole on the Cottage Street Main Sewer near the west boundary of block 40 in the City of Albany, Linn County, Oregon and running thence easterly along the center line of said Block a distance of 500 feet. Except 48 ft. of lateral already in place leaving 452 feet.

LATERAL IN BLOCK 8 & 9, CITY VIEW ADD:

No. 1. Beginning at the west end of the present Lateral in Block 9, City View Add. to the city of Albany, Linn County, Oregon, and running thence westerly along the center line of Blocks 9 and 8 in said Add. a distance of 462 feet.

LATERAL BETWEEN 8th & 9th STREETS, SHERMAN & DENVER:

No. 1. Beginning at the manhole on the south end of the Oak Street Main Sewer between 8th and 9th Streets in the City of Albany, Linn County, Oregon and running thence Easterly a distance of 600 feet.

providing how the cost of such improvement shall be paid, the penalty or damage to the City of Albany by the person or persons making such improvement if the same shall not be completed within the time agreed upon, and the giving of a good and sufficient bond for the faithful performance of the work of such improvement, and providing further for the giving by the Recorder of said City of Albany, Notice of bids for the completion of said improvement, and declaring an emergency.

THE PEOPLE OF THE CITY OF ALBANY DO ORDAIN AS FOLLOWS:

Section 1. That lateral sewers be constructed within the City of Albany, Oregon, to-wit:

HACKLEMAN STREET LATERALS:

No. 1. Beginning at the manhole in the Hackleman Street Main Sewer and running thence northerly through the center of Blocks 6 and 7 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 470 feet.

No. 2. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Blocks 5 and 8 in Winona Park Add. to the City of Albany, Linn County, Oregon, a distance of 680 feet.

No. 3. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through Blocks 4 and 9 in Winona Park Addition to the City of Albany, Linn County, Oregon, a distance of 548 feet.

No. 4. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Block 3 in Winona Park Addition to the City of Albany, a distance of 366 ft.

ORDINANCE NO. 1682 Continued

No. 5. Beginning at the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Block 2 in Winona Park Addition to the City of Albany, Linn County, Oregon, a distance of 324 feet.

No. 6. Beginning the manhole in the Hackleman Street Main Sewer, and running thence northerly through the center of Block 1 in Winona Park Addition to the City of Albany, Linn County, Oregon, a distance of 160 feet.

No. 7. Beginning at the manhole in the Hackleman St. Main Sewer and running thence southerly through the center of Blocks 5, 4, and 3, in Hackleman's Sunrise Add. to the City of Albany, Linn County, Oregon, a distance of 1203 ft.

No. 8. Beginning at the manhole in the Hackleman St. Main Sewer and running thence southerly along the east line of Blocks 6, 7, 8, and 9, in Hackleman's Sunrise Add. to the City of Albany, Linn County, Oregon a distance of 1180 ft., together with sub-laterals connected therewith and running easterly as follows:

- (a) Through Block 1 of the Epauline Add. a distance of 130 feet.
 - (b) Through Blocks 6, 5, & 4 of the Epauline Add. a distance of 607 ft.
 - (c) Through Blocks 7, 8, '9 of the Epauline Add. a distance of 607 ft.
 - (d) Through Blocks 12, 11, '10 of the Epauline Add. a distance of 607 ft.
 - (e) Through Blocks 13, 14, & 15 of the Epauline Add. a distance of 607 ft.
- Making a total distance of 4104 lineal feet.

Also Beginning at the manhole on the Hackleman St. Main Sewer Midway between Tremont and Hood Streets and running thence southerly through Block 2 in the Epauline Add. to the City of Albany, Linn County, Oregon, a distance of 180 ft.

Also, beginning at the manhole on the Hackleman Street Main Sewer a distance of 53.75 ft. west of the west line of Lafayette Street and running southerly through Block 2 in the Epauline Add. to the City of Albany, Linn County, Oregon, a distance of 180 ft.

No. 9. Beginning at the manhole in the Hill Street Main Sewer and running thence easterly through the center of Block 1 in Frice's Add. to the City of Albany, Linn County, Oregon, a distance of 381 ft.

No. 10. Beginning at the manhole in the Hill Street Main Sewer 88.2 ft. south of the south line of 10th St. in Frice's Add. to the City of Albany, Linn County, Oregon, and running thence easterly a distance of 757 ft. together with sub-laterals connected therewith and running southerly in Hackleman's Grove Add. to the City of Albany, Linn County, Oregon as follows:

- (a) Through the center of Block 1 of said Add. a distance of 264 ft.
- (b) Through the center of Blocks 2 and 3 of said Add. a dis. of 250 ft.
- (c) From the east end of the lateral sewer above described thence southerly a distance of 188 ft.

No. 11. Beginning at the manhole in the Hackleman St. Main Sewer and running thence northerly along the center line of a 30 ft. street through Block 1, in Oak Grove Acres, to the City of Albany, Linn County, Oregon, a distance of 214 ft.

Also, beginning at the manhole in the Hackleman Street Main Sewer and running thence northerly along the west line of lots 3, 2, and 1, in Oak Grove Acres, to the City of Albany, Linn County, Oregon, a distance of 214 ft.

No. 12. Beginning at the manhole at the south end of Main Sewer on Sherman Street in Oak Grove Acres and running thence west along the south line of Lots 1, 2, and 3, in Block 2 in said Oak Grove Acres, to the City of Albany, Linn County, Oregon, a distance of 206 ft.

Also, beginning at the northwest corner of lot 34 in said Block 2, thence southerly through the center of said Block 2 a distance of 1050 ft. to the north line of lot 19 in said Block and running thence easterly 48 ft. and also westerly 50 ft.

No. 13. Beginning at the manhole at the south end of Main Sewer on Sherman St. in Oak Grove Acres and running thence southerly along Sherman St. a distance of 450 ft., thence easterly along the south line of lot 17 in Block 3 in said Oak Grove Acres, to the City of Albany, Linn County, Oregon a distance of 90 ft., thence southerly through said Block 3 a distance of 725 ft., also beginning the northeast corner of lot 4 in said Block and running westerly along the south line of lot 2 in said Block a distance of 90 ft.

COLUMBUS STREET LATERALS:

No. 1. Beginning at the manhole on Columbus Street main Sewer between Willamette and Front Streets and running thence westerly through the center of Block 16 in Burkhart Park Add., to the City of Albany, Linn County, Oregon, a distance of 382 ft.

Also, beginning at the same point and running easterly through the center of Blocks 21 and 25 in Burkhart Park Add. to the City of Albany, Linn County, Oregon a distance of 1214 feet.

ORDINANCE NO. 1682 Continued

No. 2. Beginning at the manhole on Columbus St. Main Sewer between Front and Water Streets and running westerly through the center of Block 15 Burkhart Park Add. to the City of Albany, Linn County, Oregon a distance of 382 feet.

Also, beginning at the same point and running easterly through the center of Blocks 22 and 24 in Bryants Park Add. to the City of Albany, Linn County, Oregon, a distance of 949 feet.

No. 3. Beginning at the manhole on Columbus St. Main Sewer between Water and First St. and running westerly through the center of Block 14, Burkhart Park Add., to the City of Albany, Linn County, Oregon, a distance of 382 ft.

Also, beginning at the same point and running easterly through the center of Block 23 Burkhart Park Add. to the City of Albany, Linn County, Oregon, a distance of 219 feet.

OLD PACIFIC HIGHWAY LATERALS:

No. 1. Beginning at the manhole in the Old Pacific Hwy. sewer near the northwest corner of Block 1 in Motleys Add. to the City of Albany, Linn County, Oregon, and running thence southerly along the west line of said Block and the east line of Block 4 in Burkharts Add. to the City of Albany, Linn County, Oregon, a distance of 1096 feet.

Also, beginning at the southeast corner of Lot 16, Block 4 of said Add. and running thence easterly a distance of 200 feet.

No. 2. Beginning at the manhole in the Old Pacific Hwy. Main Sewer near the northwest corner of Lot 7 in Block 1, R. L. Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly through said Block 1 in said Add. to the South line thereof a distance of 450 feet.

Also, beginning at the southwest corner of Lot 7 in said Block 1 and running westerly a distance of 120 ft.

No. 3. Beginning at the manhole in the Old Pacific Hwy. Main Sewer near the northeast corner of Lot 3, in Block 1, in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly a distance of 165 feet.

NEW PACIFIC HIGHWAY LATERALS:

No. 1. Beginning at the manhole in the New Pacific Hwy Main Sewer near the northeast corner of Lot 1, Block 6 in Burkharts Add. to the City of Albany, Linn County Oregon, and running thence southerly along the east line of said Block a distance of 637 ft. Thence easterly a distance of 189 ft.

Also, beginning at the southwest corner of Lot 2, Block 6 in Supplemental Plot of Burkharts Add. and running thence easterly a distance of 135 ft., thence southerly a distance of 400 ft.

No. 2. Beginning at the manhole in the New Pacific Hwy. Main Sewer near the northwest corner of Lot 5, Block 8 in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly to and through the center of Blocks 7 and 8 of the Supplemental Plat of Burkharts Add. to the City of Albany, Linn County, Oregon, a distance of 900 ft., thence westerly a distance of 60 ft., also easterly a distance of 60 ft.

No. 3. Beginning at the manhole in the New Pacific Hwy. Main Sewer near the Northeast corner of Lot 1, Block 8, in Burkharts Add. to the City of Albany, Linn County, Oregon, and running thence southerly to the northwest corner of Lot 6, Block 11, of the Supplemental Plat to Burkharts Add. a distance of 200 ft.

GEARY STREET LATERALS:

No. 1. Beginning at the manhole in the Geary Street Main Sewer between Willamette and Front Streets and running thence easterly through the center of Blocks 6 and 5 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon and Blocks 4 and 9 in Burkharts Park Add. to the City of Albany, Linn County, Oregon a distance of 907 ft.

No. 2. Beginning at the manhole in the Geary Street Main Sewer between Front and Water Streets and running thence easterly through the center of Blocks 7 and 8 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon, and Blocks 3 and 10 in Burkhart Park Add. a distance of 917 ft.

No. 3. Beginning at the manhole in the Geary Street Main Sewer between Water and First Streets and running thence through the center of Blocks 10 and 9 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon, and Blocks 2 and 11, in Burkharts Park Add. to the City of Albany, Linn County, Oregon a distance of 928 ft.

No. 4. Beginning at the manhole in the Geary St. Main Sewer between First and Second Streets and running thence through the center of Blocks 11 and 12 in Woodles Riverside Add. to the City of Albany, and Blocks 1, 12, and 3 in Burkharts Park Add. to the City of Albany, Linn County, Oregon a distance of 1034 feet.

ORDINANCE NO. 1682 Continued

No. 5. Beginning at the manhole in the Geary St. Main Sewer between Second St. and the Salem Road and running thence through the center of Blocks 14 and 13 in Woodles Riverside Add. to the City of Albany, Linn County, Oregon a distance of 374 feet.

FIFTH STREET LATERALS:

No. 1. Beginning at the manhole in the Fifth Street Main Sewer between Geary and State Streets and running thence northerly through the center of Blocks 9 and 10 in Bryants Add. to the City of Albany, Linn County, Oregon, a distance of 400 ft.

Also, beginning at the same point and running thence southerly through Blocks 6 and 7 in said Add. a distance of 404 ft.

No. 2. Beginning at the manhole at the east end of the Fifth Street Main Sewer and running thence southerly through the center of Blocks 2 and 3 in Bryants Park Add. to the City of Albany, Linn County, Oregon, a distance of 485 ft.

Also, beginning at a point in said lateral in the center of Block 2 in said Add. and running thence easterly a distance of 60 ft.

Also, beginning at a point in said lateral in the center of Block 3 in said Add. and running thence easterly a distance of 60 ft.

Also, beginning at the manhole at the east end of the Fifth St. Main Sewer and running thence northerly along the east line of Lots 9 to 1 inclusive, Block 1 in Bryants Add. to the City of Albany, Linn County, Oregon a distance of 546 ft.

Also, beginning at the northeast corner of Lot 6 in said Block and running easterly through the center of Block 5 in R. L. Burkharts Add. to the City of Albany, Linn County, Oregon, a distance of 380 ft.

EIGHTH STREET LATERALS:

No. 1. Beginning at the manhole in the Eighth Street Main Sewer near the center line of Lot 6 in St. James Park Add. to the City of Albany, Linn County, Oregon, and running thence southerly through Lots 6, 7, 8, and 9 in said Block a distance of 460 ft.

No. 2. Beginning at the manhole in the Eighth Street Main Sewer near the center line of Lot 4 in St. James Park Add. to the City of Albany, Linn County, Oregon, and running thence southerly through Lots 4, 3, 2, and 1 in said Addition, a distance of 460 ft.

MONTGOMERY STREET LATERALS:

No. 1. Beginning in the Montgomery St. Main Sewer on the north line of Block 1, in Bacon Add. to the City of Albany, Linn County, Oregon and running thence westerly along the north line of said Block a distance of 340 ft. and running thence southerly a distance of 60 feet.

Also, beginning at the same point and running thence easterly a distance of 510 ft. and thence southerly a distance of 60 ft.

No. 2. Beginning at the manhole in the Montgomery St. Main Sewer on the Center line of Block 2 in Bacon Add. to the City of Albany, Linn County, Oregon, and running thence westerly a distance of 190 ft., thence northerly a distance of 60 ft.

Also a sub-lateral beginning at the northwest corner of Lot 32 in said Block and running thence southerly a distance of 60 ft.

Also, beginning at the manhole in the Montgomery St. Main Sewer as above and running thence easterly along the center line of said Block a distance of 590 ft. to a manhole in Marion St., thence southerly through Blocks 1 and 2 in Hackleman Sunrise Add. to the City of Albany, Linn County, Oregon a distance of 760 ft. to a manhole on A. Street.

Also, sub-laterals beginning at the northeast corner of Lot 5 in Block 2 in Hackleman's Sunrise Add. to the City of Albany, Linn County, Oregon, and running westerly a distance of 5 feet.

Also, beginning at the southeast corner of Lot 17, Block 2 in said Bacon Add. and running northerly a distance of 60 feet.

Also, beginning at southwest corner of Lot 17, Block 2, in said Add. and running southerly a distance of 60 feet.

No. 3. Beginning at the manhole in the Montgomery St. Main Sewer on the south line of Bacon Add. in the City of Albany, Linn County, Oregon, running thence easterly along the south line of said add. a distance of 362 feet, thence northerly a distance of 25 feet.

ORDINANCE NO. 1682 Continued

Also, beginning at said manhole and running thence southwesterly a distance of 210 feet thence northwesterly a distance of 900 ft. and southeasterly a dis. of 250 ft.

Also, a sub-lateral beginning near the southwest corner of Lot 7, Block 3 in Bacon Add. to the City of Albany, Linn County, Oregon, and running thence southerly a distance of 330 feet.

LATERAL IN BLOCK 40 CITY OF ALBANY:

No. 1. Beginning at the manhole on the Cottage Street Main Sewer near the west boundary of Block 40 in the City of Albany, Linn County, Oregon and running thence Easterly along the center line of said Block a distance of 500 ft. except 48 ft. of lateral already in place, leaving 452 ft.

LATERAL IN BLOCKS 8 & 9, CITY VIEW ADD:

No. 1. Beginning at the west end of the present Lateral in Block 9, City View Add. to the City of Albany, Linn County, Oregon, and running thence westerly along the center line of Blocks 8 and 9 in said Add. a distance of 462 feet.

LATERAL BETWEEN 8th & 9th STS. SHERMAN AND DENVER:

No. 1. Beginning at the manhole on the south end of the Oak Street Main Sewer between 8th and 9th Streets in the City of Albany, Linn County, Oregon and running thence easterly a distance of 600 ft.

That said improvements be made in accordance with the Charter and Ordinances of the City of Albany, Oregon, and the plans and specifications and estimates thereof of Walter W. Larsen, City Engineer of said City, filed in the office of the Recorder of the City of Albany, on the 27th day of March, 1946.

The cost of the construction of said lateral sewers shall be paid out of the fund to be collected and arising upon and out of the assessments hereafter to be made, ascertained and declared by the Council of the City of Albany, on the lots and parts of lots adjacent to said improvement as hereinabove described and especially and particularly benefited thereby, as provided by the Charter of said City of Albany, Oregon.

That the construction of said lateral sewers shall be completed on or before 120 working days from the date of the execution of the contract for the construction of the same.

The Council of the City of Albany hereby reserves the right to reject any and all bids for the construction of said sewers.

Any person, firm or corporation with whom any contract may be entered into by the City of Albany for the construction of said lateral sewers shall, before commencing said work and at the time of signing such contract, make, execute and deliver to the City of Albany a good and sufficient bond, with good and sufficient surety or sureties, in a sum equal to fifty percent of the amount of the bid therefore, conditioned for the faithful performance of such contract in the manner provided by law.

Section 2. If the person, firm or corporation entering into any contract with the City of Albany for the construction of said lateral sewers shall not complete the same within the time stipulated in said contract and as herein provided, the contractor shall pay to the City of Albany the sum of \$25.00 per day for each day of delay required to complete said contract beyond said specified time, said sum to be as fixed and liquidated damages to said City by reason of such delay.

Section 3. The Recorder of the City of Albany is hereby ordered and directed to immediately give proper notices for bids for the construction of said lateral sewers by a newspaper of general circulation published in the City of Albany, Linn County, Oregon, thereof for ten days in the Albany Democrat-Herald, fully describing in said notice the time and manner of doing the work as provided herein.

Section 4. WHEREAS, the peace, health and safety of the people of the City of Albany are involved. Therefore, an emergency is hereby declared to exist and this Ordinance shall be in full force and effect from and after the date of its passage by the Council and approval by the Mayor.

Passed by the Council, April 24, 1946

Approved by the Mayor, April 24, 1946

Attest: C. R. ASHTON, Recorder.

G. C. FROBELL, MAYOR

I, C. R. Ashton, Recorder of the City of Albany, Linn County, Oregon do hereby certify that the above copy of Ordinance No. 1682, has been by me carefully compared with the original Ordinance Bill No. 1803, as passed by the Council, April 24, 1946, and approved by the Mayor on the 24th day of April, 1946.

Witness my hand and official signature and seal of the seal of the City of Albany, Oregon on the 24th day of April, 1946.

C. R. Ashton

Recorder of the City of Albany, Oregon