

G2

RESOLUTION NO. 2093

A RESOLUTION SETTING RATES FOR SEWER USE UNDER THE PROVISIONS OF SECTION 5.1 OF ORDINANCE NO. 4144. AND AMENDING RESOLUTION NO. 1972.

WHEREAS, the sewer rate structure should be based on the principle that all users should pay their "fair share" of systems costs, and

WHEREAS, it is necessary that users with relatively homogeneous wastewater loading are grouped together and rates are developed for the average loadings in that group, and

WHEREAS, in establishing equities in sewer use rates, it is necessary to establish customer classes as single-family residential, multi-family residential, high-strength commercial, general commercial and industrial users, and

WHEREAS, an equitable rate structure requires that a flat demand charge for each user plus a variable charge that depends on the use of the system be established, the demand charges herein were designed to cover fixed costs of the system with the variable charges designed to provide for those costs that vary closely with the quantity and strength of the wastewater. That each customer in a given class, except industry, will pay the same monthly demand charge.

BE IT RESOLVED:

Sewer use charges are hereby established as follows:

Industrial User Rates

For each industrial customer the monthly sewage bill would be computed as follows:

$$I = J + (SS)K + (BOD)L + (Q)M$$

- where: I = monthly bill
- J = demand charge for particular industrial user
- SS = monthly suspended solids (in lbs.) as measured by monitoring equipment
- K = use charge for suspended solids
- BOD = monthly BOD (in lbs.) as measured by monitoring equipment
- L = use charge for BOD
- Q = monthly flow (in 1,000 gallons) as measured by monitoring equipment
- M = use charge for flow

For each industry, the monthly demand charge (J) will be as follows:

S.W.F. Plywood	=	\$ 832.85 per month
Oregon Freeze Dry	=	1,477.00 per month
Seabrook Foods	=	7,127.75 per month
Stokely Van Camp	=	161.60 per month

21
2093

G21C

For each industry the variable charge (i.e. the remaining portion of the industrial sewage billing formula) will utilize the following parameters:

K = \$0.018 per pound suspended solids

L = \$0.036 per pound BOD

M = \$0.161 per 1,000 gallons of flow

These sewer rates do not include sewage separation charges. Therefore, the current \$0.80 and \$2.00 charges should be added to the rates shown above to obtain the total bill for each user.

BE IT FURTHER RESOLVED, that the rates herein established shall apply to users within the boundaries of the city limits of the City of Albany. Any person making use of the sewer system outside the City of Albany shall pay one and one-half (1-1/2) times the rate as established herein.

DATED this 25th day of July, 1979.

Richard S. Allen
Mayor

ATTEST:

[Signature]
City Recorder

22