

ORDINANCE NO. 3147

TITLE: An Ordinance providing for the date and manner for holding a special election in the City of Albany, Oregon, on the 3rd day of November, 1964, for the purpose of submitting to the legal voters of the City of Albany, by referendum thereof, an Ordinance providing for the fluoride supplementation of the public water supplies of the City of Albany, Oregon, and declaring an emergency.

THE PEOPLE OF THE CITY OF ALBANY DO ORDAIN AS FOLLOWS:

Section 1: SPECIAL ELECTION CALLED

That the proposition set forth in Section 2 of this Ordinance shall be submitted in the manner prescribed in this Ordinance to the legal voters of the City of Albany, Oregon, at a special election to be held on the 3rd day of November, 1964. This is a state-wide general election being held in the State of Oregon and in the City of Albany and as a part thereof on the 3rd day of November, 1964, this special election is called to be held concurrently therewith.

Section 2: PROPOSITION TO BE VOTED

At the election, there shall be submitted to the legal voters of the City of Albany for their approval or rejection the proposed following Ordinance:

"An Ordinance providing for fluoride supplementation to the public water supplies in the City of Albany and declaring an emergency."

THE PEOPLE OF THE CITY OF ALBANY DO ORDAIN AS FOLLOWS:

Section 1: The Pacific Power and Light Company, a public utility corporation supplying public water to the citizens of the City of Albany, is hereby authorized and directed to provide for fluoride supplementation in its public water supplies to the City of Albany.

Section 2: The Regulations of the Oregon State Board of Health for fluoride supplementation of public water supplies be and they are hereby adopted by the City of Albany as its own regulations. A copy of the said Regulations of the Oregon State Board of Health shall be attached to the original of this Ordinance and made a part thereof as fully as if set out herein.

Section 3: All future regulations of the Oregon State Board of Health for fluoride supplementation of public water supplies shall be filed and complied with by Pacific Power and Light Company in its fluoride supplementation of the public water supplies to the City of Albany.

Section 4: Inasmuch as this Ordinance is necessary for the immediate preservation of the health, peace and safety of the people of the City of Albany, an emergency is hereby declared to exist and this Ordinance shall be in full force and effect following its passage by the Council and approval by the Mayor.

Section 3: DESIGNATION OF POLLING PLACES, POLL BOOKS AND JUDGES

The regular polling places designated by the County Court of Linn County, Oregon, in each voting precinct in the City of Albany are hereby designated as the polling places for the special city election; the poll books adopted by the County Court of Linn County, Oregon, as the poll books for the state-wide general election for the voting precincts in the City of Albany hereby are adopted as the poll books for the special city election; the judges and clerks of the election appointed by the County Court of Linn County, Oregon, to serve at the state-wide general election hereby are designated as the judges and clerks of and for the special city election.



Section 4: HOURS OF ELECTION

The polls for the special city election shall be kept open in each of the voting precincts at the same hours and shall be closed at the same hour as the state-wide general election as shall be held on the same day.

Section 5: NOTICE OF ELECTION

Notice of election shall be given by publication twice in a newspaper of general circulation in the City of Albany, Oregon, not more than twenty (20) days nor less than ten (10) days before the election. Notice of the election shall be posted for not less than twenty (20) days before the election in three (3) public places within the City. The notice in the newspaper and those posted in three (3) public places shall be in substantially the following form:

"NOTICE OF SPECIAL ELECTION

On the 3rd day of November, 1964, in the City of Albany, Linn County, Oregon, from 8 o'clock a.m. until 8 o'clock p.m., a special election shall be held in which the following measure shall be submitted to the voters for their approval:

SHALL THE FOLLOWING ENTITLED ORDINANCE referred to the voters by the Council of the City of Albany be adopted?

'An Ordinance providing for the fluoride supplementation of the public water supply to the City of Albany, Oregon, and declaring an emergency.'

Context of the Ordinance is as follows:

'THE PEOPLE OF THE CITY OF ALBANY DO ORDAIN AS FOLLOWS:

Section 1: The Pacific Power and Light Company, a public utility corporation supplying public water to the citizens of the City of Albany, is hereby authorized and directed to provide for fluoride supplementation in its public water supplies to the City of Albany.

Section 2: The Regulations of the Oregon State Board of Health for fluoride supplementation of public water supplies be and they are hereby adopted by the City of Albany as its own regulations. A copy of the said Regulations of the Oregon State Board of Health shall be attached to the original of this Ordinance and made a part thereof as though fully set out herein.

Section 3: All future regulations of the Oregon State Board of Health for fluoride supplementation of public water supplies shall be filed and complied with by Pacific Power and Light Company in its fluoride supplementation of the public water supplies of the City of Albany.

Section 4: Inasmuch as this Ordinance is necessary for the immediate preservation of the health, peace and safety of the people of the City of Albany, an emergency is hereby declared to exist and this Ordinance shall be in full force and effect following its passage by the Council and approval by the Mayor.

YES  NO  "

The city and the county precincts within the City of Albany, Linn County, Oregon, shall have uniform boundaries and the same election boards. The polling places in the city for the special city election shall be the same places as provided by the County of Linn for state-wide general election to be held on the same day, November 3, 1964, and to such places



as the election boards may legally adjourn. The City Council, by Ordinance, has appointed the identical officers appointed by the County Court of Linn County, Oregon, for the state-wide general election as the judges and clerks of the special election to serve in each of the polling places in the respective precincts to which they have been appointed by the County Court of Linn County.

WITNESS my hand and seal of the City of Albany, this \_\_\_\_ day of October, 1964.

\_\_\_\_\_  
City Recorder"

The Recorder shall advertise and post or cause to be posted the notice required by this section. The notice of election required to be given by this Ordinance shall constitute the only notice necessary and all Ordinances or Resolutions in conflict herewith shall not apply to the notices required to be given of this election.

Section 6:      BALLOT FORM

The following is the number and form in which the question shall be printed on the official ballot:

VOTE YES OR NO. MARK AND "X" IN THE SQUARE  
FOR THE ANSWER VOTED FOR:

Referred to the people by the City Council.

An Ordinance providing for the fluoride supplementation of the public water supply to the City of Albany, Oregon, and declaring an emergency.

YES

NO

Section 7:      EMERGENCY CLAUSE



WHEREAS, in the betterment of the public health, safety and general welfare of the citizens of the City of Albany, that this matter be disposed of at the earliest possible moment, therefore, an emergency is hereby declared to exist and this Ordinance shall become immediately effective upon its passage by the Council and approval by the Mayor.

Passed by the Council: September 2, 1964

Approved by the Mayor: September 2, 1964

  
\_\_\_\_\_  
Mayor

ATTEST:

  
  
\_\_\_\_\_  
City Recorder



## FLUORIDATION

Unless otherwise specified, sections 42-050 through 42-055 of this chapter of the Oregon Administrative Rules Compilation were adopted by the Board of Health May 12, 1956, and filed with the Secretary of State May 29, 1956, as HB 90.

Statutory Authority: ORS 449.215

42-048 DEFINITIONS. As used in section 42-050, unless otherwise required by context:

"Board" means the Oregon State Board of Health.

42-050 FLUORIDATION OF PUBLIC WATER SUPPLIES. When it has been determined that the public water supply of a community contains fluoride compounds in insufficient amounts to aid in prevention of dental caries in children, fluoride compounds may be added to the water supply in accordance with the following:

(1) The fluoride ion level to be maintained in the water distributed shall be 1 ppm with a maximum of 1.5 ppm. The feeding apparatus shall have an accuracy tolerance of not more than 5 per cent and shall be of a type which has been proven to be satisfactory and for which spare parts and service are available.

(2) Special precautions shall be taken to protect the operators from inhaling fluoride dust when charging the hoppers of the feeders. Each operator who handles fluoride shall be equipped with his individual respirator of a type approved by the U. S. Bureau of Mines for protection against toxic dust. Respiratory equipment and replacement units shall be stored in approved containers when not in use.

(3) Prior to the beginning of the application of fluoride compounds to a water supply the city or other operating authority shall first:

(a) Take appropriate official action authorizing the application of fluoride compounds to the water supply and make such action a matter of record, a certified

copy of which shall be forwarded to the Board.

(b) Furnish the Board the written approval of the local health officer.

(c) Receive approval of the Board for plans and specifications for the equipment to be used, showing its location and housing, and including laboratory equipment and protective devices for the operating personnel.

(d) Prepare and submit for the approval of the Board specifications for the chemical compound to be used.

(e) Submit the name, qualifications, and training record of the person in direct charge of the fluoridation process and receive approval of his qualifications

(f) Submit a report of a recent chemical analysis of the water supply, if required by the Board.

(g) Receive approval of the equipment as installed.

(h) While the equipment is in operation, the responsible operator shall:

(a) Maintain the feeding apparatus in good working order.

(b) Collect and make fluoride determinations by approved methods on:

(A) Samples of unfluoridated water as often as required by the Board.

(B) Daily samples of fluoridated water.

(C) Keep a daily record of amounts of fluoride application and results of fluoride determinations. A copy of this record shall be furnished to the Board monthly or oftener if requested.

(d) Submit a sample of water to the Board for analysis as often as the Board may require.

(e) Maintain and use an approved dust respirator while exposed to the dust of the dry fluoride compound.

(5) Failure to carry out thoroughly and effectively the requirements governing the application of compounds containing fluorine shall be sufficient cause for the withdrawal of the authorization granted by the Board for the addition of such chemicals to a public water supply.

42-055 to 42-070 [Reserved for expansion]